



**UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

*Flu*

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
09/004,897	01/09/98	BURRIS	

W

EUGENE S STEPHENS  
EUGENE STEPHENS & ASSOCIATES  
56 WINDSOR STREET  
ROCHESTER NY 14605

IM62/0620

EXAMINER

LAWRENCE JR, F

ART UNIT

PAPER NUMBER

1724

12

DATE MAILED:

06/20/00

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner of Patents and Trademarks**

**Advisory Action**Application No.  
**09/004,897**Applicant(s)  
**William A. Burris**Examiner  
**Frank Lawrence**Group Art Unit  
**1724**

## THE PERIOD FOR RESPONSE: [check only a) or b)]

- a) ☒ expires 3 months from the mailing date of the final rejection.
- b) ☐ expires either three months from the mailing date of the final rejection, or on the mailing date of this Advisory Action, whichever is later. In no event, however, will the statutory period for the response expire later than six months from the date of the final rejection.

Any extension of time must be obtained by filing a petition under 37 CFR 1.136(a), the proposed response and the appropriate fee. The date on which the response, the petition, and the fee have been filed is the date of the response and also the date for the purposes of determining the period of extension and the corresponding amount of the fee. Any extension fee pursuant to 37 CFR 1.17 will be calculated from the date of the originally set shortened statutory period for response or as set forth in b) above.

- ☐ Appellant's Brief is due two months from the date of the Notice of Appeal filed on \_\_\_\_\_ (or within any period for response set forth above, whichever is later). See 37 CFR 1.191(d) and 37 CFR 1.192(a).

Applicant's response to the final rejection, filed on Jun 12, 2000 has been considered with the following effect, but is NOT deemed to place the application in condition for allowance:

- ☒ The proposed amendment(s):
- ☐ will be entered upon filing of a Notice of Appeal and an Appeal Brief.
- ☒ will not be entered because:
- ☒ they raise new issues that would require further consideration and/or search. (See note below).
- ☐ they raise the issue of new matter. (See note below).
- ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal.
- ☐ they present additional claims without cancelling a corresponding number of finally rejected claims.

NOTE: The added structural limitations that a valve is located in the passageway and that a passageway portion configured to ensure sufficient contact is located between the upflow chamber and dispenser were not previously considered and would require further searching.

- ☐ Applicant's response has overcome the following rejection(s):

- ☐ Newly proposed or amended claims \_\_\_\_\_ would be allowable if submitted in a separate, timely filed amendment cancelling the non-allowable claims.
- ☐ The affidavit, exhibit or request for reconsideration has been considered but does NOT place the application in condition for allowance because:

- ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.

- ☒ For purposes of Appeal, the status of the claims is as follows (see attached written explanation, if any):

Claims allowed: 21-38

Claims objected to: 2-4, 10, 19, 40-42, 46, and 56

Claims rejected: 1, 5-9, 11-18, 20, 39, 43-45, 47-55, 57, and 58

- ☐ The proposed drawing correction filed on \_\_\_\_\_ ☐ has ☐ has not been approved by the Examiner.

- ☐ Note the attached Information Disclosure Statement(s), PTO-1449, Paper No(s). \_\_\_\_\_

- ☒ Other Note that the proposed new limitations describing the upflow chamber are directed towards functional limitations of the chamber and do not alter the claimed structure. The same rejection over prior art would be maintained.

*Sub Reply 6-19-00*  
*DA Simmons*  
**David A. Simmons**  
Supervisory Patent Examiner  
Technology Center 1700